

Publications of TRA

1. A Babu and Kishor Chand Kumhar (2014). Pathogenicity and compatibility of native isolate of *Beauveria bassiana* (BKN-20): A biological agent for control of tea mosquito, *Helopeltis theivora*. Tocklai News, Tea Research Association, Tocklai Experimental Station, Jorhat – 785 008. **Vol. 21:** 3, January -June, 2014.
2. A Babu and Kishor Chand Kumhar (2015). Record of two new local isolates of entomopathogenic fungi from Dooars tea ecosystem. Tocklai News, January – June 2015. **23**, 5.
3. A Babu, B Deka and S. S. Yadav (2015): Laboratory production of NPV of looper (*H. talaca*) using a semi artificial diet. . Tocklai news, **4**: 24,.
4. A Babu, B Deka, R Dhar, S Dharmapandit and M Sarmah (2015): Field bio efficacy of NKAЕ against red spider mites: A micro plot field trial. Tocklai news, **1**: 24.
5. A. Babu and B. Deka (2014): Delta (Yellow) sticky traps for thrips and green-hopper management. Tocklai news, **4**: 21, Jan-June.
6. A. Babu and Kishor Chand Kumhar (2014). Pathogenicity of indigenous *Beauveria bassiana* (BKN 20) against tea mosquito and its compatibility with a few insecticides. *Two and a Bud* **61**: 64-67.
7. A. Babu, B. Deka, M. Sarmah, R. Dhar and S. Dharmapandit (2015) Effect of organic synergists in the enhancement of bio-efficacy of Neem Kernel Powder (NKP) aqueous extracts against tea red spider mite. Tocklai News, **4**: 23,.
8. A. Babu, B. Deka, P. Ekka and S. Das, (2014) Bioefficacy of solvent extracts of wild sunflower and *Artemisia vulgaris* against the tea looper and red spider mite. Tocklai news, **5**: 22.
9. A. Babu, B. Deka, R. Dhar and S. Dharmapandit (2016) Effect of an organic synergist in enhancing the bio-efficacy of Fenpyroximate 5EC against red spider mites. Tocklai News, **1**: 25,.
10. A. Babu, B. Deka, R. Dhar and S. Dharmapandit (2016) Ovicidal activity of Neem Kernel Aqueous Extract (NKAЕ) against red spider mites. Tocklai News, **3**: 25.
11. Ahmed, K.Z and Bhagat, R.M (2009) Liming of tea soils: A review. *Two and A Bud* 56: 10-15
12. Akuli A., Pal A., Ghosh A., Bhattacharyya N., Bandyopadhyay R., Tamuly P., and Gogoi N. (2012) *Estimation of theaflavins (TF) and Thearubigins (TR) Ratio in black Tea liquor using Electronic vision System*. International Symposium on electronic nose, New York, pp 253-254 DOI: 10.1063/1.3626379
13. Arunangshu Ghosh, Bipan Tudu, Pradip Tamuly, Nabarun Bhattacharyya, Rajib Bandyopadhyay, "Improvement of quality perception for black CTC tea by means of an electronic tongue", M.K. Kundu et al. (Eds.): PerMin LNCS 7143, pp. 187-194, *Springer Berlin Heidelberg*, 2012.
14. B. Das, P. K. Patel, S. Sobhapandit, R. C. Gogoi (2016). Screening and determination of anthocyanin in pigmented tea germplasm. *Two and a Bud*, **63**(1):1-3.
15. B. Das, S. C. Bordoloi, R. K. Bordoloi, J. K. Saikia, T. S. Barman (2015). TSS 1: A biclonal seed stock of the 21st century. *Two and a Bud*, **62**(2):1-2.
16. B. Deka, A. Babu, S. Das and M. Sarmah (2015): Bio-efficacy of Dipel 8L in combination with other CIB approved agrochemicals against tea loopers. Tocklai news, **4**: 23.

17. B. Deka, A. Babu, S. Das and M. Sarmah: Bio-efficacy of Dipel 8L in combination with other CIB approved agrochemicals against tea loopers. *Tocklai news*, **4**: 23, January-June 2015.
18. Babu and B. Deka: Delta (Yellow) sticky traps for thrips and green-hopper management. *Tocklai news*, **4**: 21, 2014.
19. Babu, A., Barua, Archita, Deb, Sanghamitra, Gogoi, Bornali, Rahman, A and Sarmah, M.(2014) Growth inhibitory effect of Poneem, a botanical pesticide against the looper *Ascotis selenaria* Hubner infesting tea in northeast India *Two and a Bud* **61**(1&2):68-71
20. Bandyopadhyay T. (2011) Molecular marker technology in genetic improvement of tea. *International Journal of Plant Breeding and Genetics* **5**(1): 23-33.
21. Bandyopadhyay, T. and Das, S.C. (2008) Biotechnology: its prospect in tea improvement. *The Assam Review and Tea News* **97**(10): 30 – 35 (Reprinted from *Two and a Bud* 52:3-7).
22. Barman T.S. (2008). Abnormal callus growth in tea shoots. *Two and a Bud* **55**: 46-47.
23. Barman T.S. (2008). Use of shade in tea of North East India – a review. *Two and a Bud* **55**(1&2): 5-16.
24. Barman T.S. (2009). Death of young tea after transplanting. *Two and A Bud* **56**: 63-65.
25. Barman T.S. (2011). Tea cultivars for northeast India. *Sci.& Cult.* **77**: 391-395.
26. Barman T.S., Baruah U. and Saikia J.K. (2007). Effects of light intensity on tea leaf physiology under field conditions. *Two and a Bud* **54**: 22-27.
27. Barman T.S., Baruah U. And Saikia J.K. (2008). Irradiance influences tea leaf (*Camellia sinensis* L.) photosynthesis and transpiration. *Photosynthetica* **46**(4): 618-621. DOI: 10.1007/s11099-008-0104-y.
28. Barman T.S., Baruah U. and Saikia J.K. (2008). Seasonal changes in metabolic activities of drought tolerant and susceptible clones of tea (*Camellia sinensis* L.). *J. Plant. Crop.* **36** (3): 259-264.
29. Barman T.S., Baruah U., Deka D.K., Borah D., Lahon T. and Saikia J.K. (2011). Selection and evaluation of waterlogging tolerant tea genotypes for plantation in marginal land. (WTSC Abstract No. O-12, p.32.) *Two and a Bud* **58**: 33-8.
30. Barman,T.S., Sarma, A.K., Phukan, I.K., Das, B., Bardoloi, R.K., Baruah, D.K. and Saikia, J.K. (2014). NPK content of harvested tea seeds and amendment of seed bari manuring. *Two&a Bud*, **61**(1 &2):72-75
31. Barooah A.K. and Borthakur M. (2008). Dissipation of pesticides in tea shoots and decontamination of their residues. *Pestic. Res J.* **20** (1): 121-124.
32. Barooah A.K., Borthakur M., Kalita J.N., Hussain T., Chaudhury K. and Nath R. (2011). Pesticide residues in tea and their intake assessment using brew factor. *J. Tea Sci.* **31**(4): 289-294.
33. Baruah AR, Saikia H, Bera B (2010) Detection of close genetic relatedness in some tea genotypes of Assam and Darjeeling using RAPD markers. *Journal of Plantation Crops* **38**(1): 11-15.
34. Baruah D., Bhuyan L.P and Hazarika M. (2012). Impact of moisture loss and temperature on biochemical changes during withering stage of black tea processing on four Tocklai released clones. *Two Leaf & Bud*, **59**(2), 134-152.

35. Baruah P. (2011). Tea drinking: Origin, perceptions, habits with special reference to Assam, its tribes, and role of Tocklai. *Sci. & Cul.* 77(9&10): 365-372.
36. Baruah P. (2011). Tocklai and a century of excellence in tea research. *The Assam Reviews & Tea News* pp.14-19.
37. Baruah S., Bordoloi A.K., Gogoi M.K., Gogoi R.C. and Hazarika M. (2012). Study of antioxidant property in different types of tea and its utilization in the development of some popular items like tea ice cream. *Two & a Bud*, **59(2)**, 102-105.
38. Baruah S., Bordoloi A.K., Gogoi R.C., Gogoi M.K., and Hazarika M. (2012). An integrated approach to the extraction of natural tea colour, flavour and evaluation of antioxidant properties of tea. *Two & a Bud*, **59(2)**, 126-129.
39. Baruah S., Dipankar S. and Hazarika M. (2012). The role of drying system in antioxidant of tea leaves. *Two & a Bud*, **59(2)**, 119-121.
40. Baruah, I. K. Phukan and R. M. Bhagat.(2011) Comparison of soil and leaf nutrient status under organic and conventional tea. *Two & a Bud*: **58**;155-159
41. Baruah, P. (2015). Assam tea: discovery, contribution of the Singphos, method of preparation and traditional habit of tea drinking among the Singphos of Assam. *The Assam Review & Tea News*, **104(3)**: 14-24.
42. Baruah, P. (2015). Ningroola- the Singphos chief, earliest producer and manufacturer of Assam tea. *The Assam Review & Tea News*, **104(6)**:11-12.
43. Baruah, P. (2015). Tea Industry of Kenya, its Assam Linkage, Purple Tea and Potential in Assam. *International Journal of Tea Science*, **11 (3&4)**: 1-7.
44. Baruah, P. (2015). Tocklai Extension Services of the Tea Industry in Knowledge Management: The Beginning, Present Status and Challenges. *The Assam Review & Tea News*, **104 (7)**, pp 14-18.
45. Baruah, P. (2016). Legend, Origin, Culture & Production of Amazing Korean Tea. *The Assam Review & Tea News*, **105(9)**:16-23.
46. Baruah, R.D. and Bhagat, R.M. (2014). Modeling yield of tea clones in monsoonal plains of Assam. *Two Bud*, **60(2)**: 10-14.
47. Baruah, R.D. and R.M. Bhagat (2013). Climate trends of North Eastern India: a long term pragmatic analysis for tea production. *Two and a Bud*, **59(2)** : 46-49
48. Baruah, R.D., Bhagat, R.M., Roy, S. and Sethi, L.N. (2014). Development and analysis of long term climate database to generate climate trends using statistical tools for the major tea growing regions of Assam. *Journal of Basic and Applied Engineering Research*, **1(13)**:74-78
49. Baruah, R.D., Bhagat, R.M., Roy, S. and Sethi, L.N. (2014). Impact of Climate Change on Rainfall and Temperature Trends: A Pragmatic Analysis of Scenarios for Tea Growing Regions of North Eastern India. *International Journal of Scientific Engineering and Technology* (ISSN : 2277-1581) Issue **Special 18-20** Dec: 99-105.
50. Bhagat R, Ahmed KZ, Gupta N, Baruah RD. 2016. *Report of the WG on Climate Change of the FAO IGG on Tea*. Technical Report. doi: 10.13140/RG.2.1.1151.7048
51. Bhagat RM, Deb Baruah R, Safique S. 2010. Climate and tea [*Camellia sinensis* (L.) O. Kuntze] production with special reference to North Eastern India: a review. *J. Environ. Res. Develop.* **4**: 1017-1028.

52. Bhagat, R.M., and R.D. Baruah (2010). An assessment report of climate change impact, vulnerability and adaptation to climate change in North Eastern India is submitted to MOEF, GOI through the National Co-ordinator of NPCC, IARI, N. Delhi
53. Bhagat, R.M., R.D. Baruah, M. Saikia. and M. Hazarika (2009). Long term climate trends in tea growing areas of North-Eastern India. *Two and a Bud*, 56: 21-31
54. Bhagawati P, Singh HR, Borchetia S, Chowdhury P, Saikia H and Bandyopadhyay T (2015). Comparative study on morphological and molecular genetic diversity analysis in Tea. Ed. by Das K. Biotik, Maharathi Prakashan, pp. 66-79 (ISBN 978-93-83230-06-8)
55. Bharali P., Rahman A., Sarmah M. and Barthakur B.K. (2008). *Antifeedant and ovicidal Activity of Neem kernel aqueous extract on tea Mosquito Bug Helopeltis theivora Waterhouse – A sucking pest of tea*. Proceedings of National Seminar on Bio-piracy held on 7 & 8th November 2008 at D.K. D College, Dergaon. 86-90.
56. Bhattacharyya N., Seth S., Tudu B., Tamuly P., Jana A., Ghosh D., Bandyopadhyay R. and Bhuyan M., Sabhapondit S. (2007). Detection of optimum fermentation time for black tea manufacturing using electronic nose. *Sensors and Actuators B: Chemical*. **122**, 627-634.
57. Bhattacharyya PN, Dutta P, Sarmah SR, Tanti A, Madhab M, Begum R (2016) An *in vitro* assessment on *Fusarium* decomposition in tea. *International Journal of Current Microbiology and Applied Sciences* 5(11): 121-125. <http://dx.doi.org/10.20546/ijcmas.2016.511.013>.
58. Bhattacharyya PN, Jha DK (2015) Mycorrhizal symbiosis in the formation of antioxidant compounds. In: *Plants as a source of Natural Antioxidants*. (Edt. N. K. Dubey) CAB International, Oxfordshire, UK, pp 252-281.
59. Bhattacharyya, P. N., Dutta P., Madhab M, Phukan I. K., Sarmah S. R. , Pathak S. K. (2016) Isolation of potash mobilizing microorganisms in tea soil and evaluation of their efficiency in potash nutrition in tea: a novel approach. *Two and a Bud* 63(1):8-12.
60. Bhattacharyya, PN. Sarmah SR, Dutta, P, Tanti AJ (2015) Emergence in mapping microbial diversity in tea (*Camellia sinensis* (L.) O. Kuntze) soil of Assam, North-East India: A novel approach. *European Journal of Biotechnology and Bioscience* 3(12):20-25.
61. Bhuyan L.P. , Sabhapondit S., Baruah B.D., Bordoloi C., Gogoi R. and Bhattacharyya P. (2013). Polyphenolic compounds and antioxidant activity of CTC black tea of North-East India. *Food chemistry*, 141, 3744-3751
62. Bhuyan L.P., Borah P., Bordoloi C., Das A.K., Sabhapondit S. and Hazarika M. (2012). Fingerprint of Darjeeling black tea: Understanding of region-specific quantitative analysis of non-volatile biochemical constituents. *Two & a Bud*, **59(2)**, 22-26.
63. Bhuyan L.P., Borah P., Sabhapondit S., Gogoi R., Bhattacharyya P. "Spatial variability of theaflavins and thearubigins fractions and their impact on black tea quality". *Journal of Food Science and Technology*. DOI 10.1007/s13197-015-1968-z (2015) .
64. Bhuyan L.P., Hussain A., Tamuly P., Gogoi R.C., Bordoloi P.K. and Hazarika M. (2009). Chemical characterization of CTC black tea of northeast India: correlation of quality parameters with tea tasters' evaluation. *J. Sci. Food Agric.* **89**: 1498-1507. DOI: 10.1002/jsfa.3614.
65. Bhuyan L.P., Hussain A., Tamuly P., Gogoi R.C., Bordoloi P.K., Hazarika M. (2009). Chemical characterization of CTC black tea of northeast India: correlation of quality parameters with tea tasters' evaluation. *J. Sci. Food Agric.* **89**: 1498-1507. DOI: 10.1002/jsfa.3614.

66. Bhuyan L.P., Sabhapondit S., Gogoi N. Hussain A. Dutta P. and Hazarika M. (2012). Changes of biochemical components and growth of microbes of graded CTC black tea during storage. ***Two & Bud***, **59(2)**, 96-101.
67. Bhuyan L.P., Sanyal S., Baruah S., Sabhapondit S., Hazarika A.K. and Hazarika M. (2012). Recent approaches to processing technology at Tocklai. ***Two & Bud***, **59(2)**, 34-40.
68. Bhuyan L.P., Senapati K.K., Saikia P. and Hazarika M. (2012). Characterization of volatile flavour constituents of orthodox black tea of twenty nine Tocklai released cultivars for Darjeeling. ***Two & Bud***, **59(2)**, 112-118.
69. Biggs EM, Gupta N, Duncan J, Saikia SD. 2015 *Changing climate and the value of the tea landscape in Assam in Adapting to Rates of Climate Change: Natural and Human Dimensions*, American Geophysical Union Fall Meeting, SFO, CA; 14-18 December 2015.
70. Boby Gogoi, D. Santra, A. C. Borah, S. Debnath, S. K. Pathak (2015). Pollen productivity and pollen viability of selected tea cultivars (TV clones) grown at NBRRDC, Nagrakata, West Bengal. *Two and a Bud*, 62(1):29-32.
71. Bora G., Bora S., Sarmah S. R., Dutta P. and Barthakur B.K. (2008). *Application of neem kernel aqueous extracts as component of integrated disease management in tea*. Proceedings of National seminar on Bio-piracy held on 7-8 Nov. 2008, at DKD College Dergaon. 75-80.
72. Bora S., Phukan I., Sarmah S. R., Debnath S. and Barthakur B.K. (2008). *Microbial diversity of tea soil under different agroclimatic conditions of Assam and West Bengal*. Presented at National Seminar on Conservation of Bioresources. Held at Manipur university. Feb.21-22, 2008. Abstract pp.79.
73. Bora,-S; Borah,-T; Sarmah,-M; Rahman,-A; Gurusubramanian,-G. (2008): Susceptibility change in male *Helopeltis theivora* waterhouse (Jorhat population) to different classes of insecticides. *Pesticide-Research-Journal* 20(1): 92-94
74. Bora. S.; Rahman, A ; Sarmah, M.; and Gurusubramanian, G.(2007).Relative toxicity of some Commonly used insecticides against tea looper caterpillar. *Buzura suppressaria* Guen.(Geometridae:Lepidoptera) and its effect on food consumption and utilization. *International J. of Tropical Agriculture*. 25(1-2): 213-220.
75. Bora. S.; Rahman, A ; Sarmah, M.; and Gurusubramanian, G.(2007): Relative toxicity of some commonly used insecticides against the adults of *Helopeltis theivora* waterhouse (Miridae: Hemiptera) collected from Jorhat area tea plantations *Indian-Journal-of-Entomology* 69(1): 81-87.
76. Borah A., Gogoi T.P., Gogoi M.K., Kalita M.M., Dutta P., Das P.J. and Tamuly P. (2012). A biochemical approach to the study of chemical basis of stress during tea processing. ***Two & Bud***, **59(2)**, 74-77.
77. Borah D., Deka D.K., Lahon T., Boruah U. and Barman T.S. (2011). Waterlogging tolerant clone for cultivation in marginal land. *Sci. & Cult.* **77(9-10)**: 419-424.
78. Borah D., Deka D.K., Lahon T., Boruah U., Saikia J.K., Handique A.K. and Barman T.S. (2010). Seasonal changes in metabolic activities of tea and soil respiration in Dooars region of North East India. *Two and A Bud* **57**: 59-67.
79. Borah T., Rahman A. and Barthakur B.K. (2009). Efficacy of *Trichogramma* spp of eggs of looper caterpillar, *Buzura suppressaria*, Guen. *Two & a Bud* **56(1&2)**: 55-58.

80. Borah T., Rahman A., Borthakur M. and Barthakur B.K. (2012). Biology of and predatory potential of a newly recorded green lacewing, *Mallada* sp. (Neuropteran: Chrysopidae) on tea mosquito bug *Helopeltis theivora* (Waterhouse). *Two & a Bud* **59** (Special issue no. 1): 60-62. (Presented in World Tea Science Congress held at Jorhat, 22-24th November, 2011).
81. Borchetia S, Bora C, Gohain B, Bhagawati P, Agarwal N, Bhattacharria N, Bharalee R, Bhorali P, Bandyopadhyay T, Gupta S, Das SK, Singh HR, Ahmed P, Gogoi M and Das S (2011). Cloning and heterologous expression of a gene encoding lycopene-epsilon-cyclase, a precursor of lutein in tea (*Camellia sinensis* var. *assamica*). *African Journal of Biotechnology* **10**: 5934-5939.
82. Borchetia S, Gogoi M, Bhagawati P, Singh HR, Hazarika P, Zaman A, Das S, Choudhury P, Saikia H and Bandyopadhyay T (2015). Functional Genomics in Tea: Progress and prospects for plant genetic improvement. Proceedings on Biotechnological Research in North East India, Present and Future, AAU, Jorhat, pp 43-44 (ISBN 978-81-930496-0-0, 105-110).
83. Borchetia, S., Das, S., Zaman, A., Gogoi, M., Chowdhury, P., Saikia, H. and Bandyopadhyay, T. 2017. Tea. Molecular Markers and Marker Assisted Selection. Biotechnology of Plantation Crops. Editors Chowdappa, P., Karun A., Rajesh, M.K. and Ramesh, S.V., Daya Publishing House, New Delhi. 405 – 435.
84. Borchetia, S., S.C. Das, P.J. Handique and S. Das, 2009. High multiplication frequency and genetic stability for commercialization of the three varieties of micropropagated tea plants (*Camellia* spp.). *Scientia Horticulturae*, **120**: 544 – 550.
85. Bordoloi M., Madhab M., Dutta P., Borah T., Nair S.C., Phukan Ivy, Debnath S. and Barthakur B.K. (2012). Potential of entomopathogenic fungi for management of *Helopeltis theivora* (Waterhouse). *Two & a Bud* **59** (Special issue no. 1): 21-23. (Presented in World Tea Science Congress held at Jorhat, 22-24th November, 2011.)
86. Bordoloi M., Phukan R., Bora S., Debnath S. and Barthakur B.K. (2008). *Microbial Diversity of tea soil of Assam in relation to termite infestation*. Proceedings of National Seminar on Bio-piracy held on 7th & 8th November 2008 at D.K. D College, Dergaon. 91-95.
87. Bordoloi R.K., Borthakur D., Datta R.K., Neog N.J., Saikia H., Thakur D. and Barman T.S. (2011). Applicability of cleft grafting method in breeding programme of tea [*Camellia sinensis* (L) O. Kuntze]. (WTSC Abstract No. P-24, p.36.) *Two and a Bud* **58**: 87-92.
88. Bordoloi R.K., Thakur D., Tamuli P. and Barman T.S. (2011). Exploration of quality tea cultivars with high yield potential. (WTSC Abstract No. P-26, p.38.) *Two and a Bud* **58**: 127-31.
89. Borthakur A., Das S.C. and Kalita M.C. (2007). Induction of direct embryogenesis in *Anadenanthera peregrina* (L.) Speg., an exotic shade tree used in tea plantations of North East India : I. Somatic embryo development. *Two and a Bud* **54**: 8-13
90. Borthakur M., Barooah A.K., Sharma M., Rahman A. and Bora K. (2010). *Current trends in population dynamics of tea pests in northeast India & strategies for their management*. Paper presented in the IXth European Congress of Entomology ECE2010 held in Budapest (Hungary) 22 to 27 August.
91. Borthakur, A., Dutta, R. K., Borchetia, S. and Das, S. 2007. Utilization of plant metabolic engineering for production of pharmaceuticals in Tea. *Biotechnology and Sustainable Agriculture 2006 and Beyond*. Ed : Z Xu et al. Springer, Netherlands. 235-258.

92. C. Sarmah, D. Savapondit and I. K. Phukan. (2011) Rate of decomposition as an index for suitable organic manure for carbon build-up. *Two Bud*; *Two Bud*:**58**;150-154
93. Chatterjee T. N., Banerjee Roy R., Tudu B., Pramanik P., Deka H., Tamuly P., Bandyopadhyay R.. (2017) "Detection of theaflavins in black tea using a molecular imprinted polyacrylamide – graphite nanocomposite electrode" **Sensors and Actuators B 246**; 840 – 847.
94. Chowdhury P, Senapati KK, Khan SA, Chowdhury P, Bora T, Saikia H, Borchetia S, Tamuli P and Bandyopadhyay T (2015). Evaluation of antiviral activity of natural compounds and derivatives of *Camellia sinensis* against Japanese Encephalitis virus. Presented and abstract published in the proceedings of international conference on "Sub-Harnessing Plant Diversity for Human Welfare" Dibrugarh University, 2015.
95. Chowdhury, P., Bora, T., Khan, S.A., Chakraborty, B., Senapati, K., Sengupta, M., Borchetia, S. and Bandyopadhyay, T. 2016. Inhibition of Japanese Encephalitis Virus infection by biogenic catechin silver nanoparticles: an in-vitro study. *International Journal of Infectious Diseases* **45** (Supplement 1): 276
96. Chowdhury, P., Borchetia, S. and Bandyopadhyay, T. 2016 Chapter -Changing Paradigm for IPR Protection in Drug Discovery Research: Where India Stands. Ed(s).Singh, Jha & Keswani. *Intellectual Property Issues in Biotechnology*. Wallingford, Oxfordshire ; Boston, MA : CABI, 2016. ISBN- 9781780646534
97. Chowdhury, P., Gogoi, M., Das, S., Zaman, A., Hazarika, P., Borchetia, S. and Bandyopadhyay, T. 2016 Chapter- Intellectual Property Rights for Nanotechnology in Agriculture. Ed(s) Ranjan, S., Dasgupta, N., Lichtfouse, E. *Nanoscience in Food and Agriculture 2, Sustainable Agriculture Reviews*. Springer International Publishing, **21**, 2016. ISBN- 978-3-319-39305-6. DOI - 10.1007/978-3-319-39306-3
98. Chutia B. C., Rahaman A., Sarmah M., Borthakur M. and Barthakur B. K. (2011). Biology of *Hyposidra talaca* (Walker)-a major defoliating pest of tea in North East India. *Ind. J. Entomol.* **73** (2): 106- 109.
99. Chutia, B. C., Rahman, A., Sarmah, M., Borthakur, M. and Barthakur, B.K.(2011) Biology of *Hyposidra talaca* (Walker)- a major defoliating pest of tea in North East India *Indian Journal of Entomology* **73**:106-109
100. Conservation of old seed jats by poly-parent (polyclonal) seed bars to maintain quality of tea. S.K. Pathak, B.Das, B.Gogoi, A.C. Borah, D. Borthakur, N.J. Neog and S.K. Singh, *Tocklai News*, **July-December**, 2014.
101. D. Borthakur, Ranjan Dutta, B. Das, Naba Jyoti Neog (2015). A Participatory Plant Breeding (PPB) approach in tea breeding and germplasm conservation. *Two and a Bud*, **62**(1):8-10.
102. Das R., Chutia B. C., Sarmah M., Rahman A., Borthakur M. and Barthakur B. K. (2010). Effect of Neem Kernel Aqueous Extract (NKAE) on growth and development of Red Slug Caterpillar, *Eterusia magnifica* Butl in North-East India. *India. J. Biopesti.* **3**(2): 489-494.
103. Das S. K., Sabhapondit S., Ahmed G., Das S. (2013). Biochemical Evaluation of Triploid Progenies of Diploid 3 Tetraploid Breeding Populations of *Camellia* for Genotypes Rich in Catechin and Caffeine. *Biochem Genet* DOI **10.1007/s10528-013-9569-x**.

104. Das S., Bhagat R.M., Barua P.K., Barman T.S. and Baruah U. (2011). Effect of organic amendments on some soil and biochemical parameters under conservation and newly planted organic tea. *Two and a Bud* **58**: 33-8.
105. Das, P. K. Patel, S. Sabhapondit and R.C. Gogoi. "Screening and determination of anthocyanin in pigmented tea germplasm" *Two and a Bud*, **63**;1-3 (2016)
106. Das, R., Chutia, B. C., Sarmah, M., Rahman, A. Borthakur, M. and Barthakur, B.K. (2010) Effect of neem kernel aqueous extract (NKAE) on growth and development of red slug caterpillar, *Eterusia magnifica* butl in tea in North-East India, *Journal of Biopesticides*, **3(2)**: 489 – 494
107. Das, S., Zaman, A., Borchetia, S., Gogoi, M., Chowdhury, P., Saikia, J., Saikia, H., Das, B., Barman, T.S., Bandyopadhyay, T. 2016. Genetic Relationship in Tea Germplasms with Drought Contrasting Traits. *Plant Breed. Biotech.* 2016 (November) <https://doi.org/10.9787/PBB.2016.4.4.1>.
108. Debnath S., Borthakur M. and Barthakur B.K. (2009). Occurrence of a new species of Arge (*Hymenoptera: Argidae*) on *Polygonum chinense* L. at Jorhat district. *Two & a Bud* **56(1&2)**: 19-20.
109. Debnath S., Nair S.C., Begam R. and Barthakur B.K. (2012). Effect of pesticides on native entomopathogenic fungus *Metarhizium anisopliae* (NCFT- 1232) used for management of termite pests in tea growing areas in Cachar. Presented at International Conference on Global Ecosystems, Biodiversity and Environmental Sustainability in the 21st Century (ICGEBnS- 2012). February 15-17, 2012, at Department of Ecology & Environmental Science, Assam University, Silchar, Assam.
110. Debnath S., Phukan R., Bordoloi M., Nair S.C. and Barthakur B.K. (2010). Studies on pathogenicity of *Aspergillus flavus* to termite pest of tea published in 2011. *Two & a Bud* **57(1&2)**: 41-43.
111. Debnath S., Phukan R., Rahman A., Barthakur M., Sarma M. And Barthakur B.K. (2007). *Prospect of termite control in tea plantation of North East India with native entomopathogenic fungi*. Paper presented in the International Conference on Tea Science and culture held Schizuoka Japan 3-5 November 2007 (1705-2007).
112. Debnath S., Sarmah S.R., Dutta P., Sarmah M., Rahman A., Begum R., Dutta A., Borthakur M. and Barthakur B.K. (2012). Field performance of a native entomopathogen *Metarhizium anisopliae* against live wood eating termite of tea in Cachar. *Two & a Bud* **59** (Special issue no. 1): 35-38.
113. Debnath S., Tanti A., Sabhapondit S., Phukan I., Dutta P. and Borthakur B. K. (2012). Storage deterioration of quality of CTC black tea. *Two & a Bud*, **59(2)**, 31-33.
114. Debnath, S., Sarmah, S.R., Dutta, P., Sarmah, M., Rahman, A. Begum, R., Dutta, A., Borthakur, M. and Barthakur, B.K. (2012) Field performance of a native entomopathogens *Metarhizium anisopliae* against live wood eating termite of tea in Cachar *Two and a Bud* **59** (1): 35-38
115. Deka B., Babu A., and Sarmah M., (2017): Bio-efficacy of certain indigenous plant extracts against red spider mite, *Oligonychus coffeae*, Nietner (Tetranychidae: Acarina) infesting tea, *Journal of Tea Science Research*, **7(4)**: 28-33 (doi: 10.5376/jtsr.2017.07.0004).

116. Deka D.K., Borah D., Lahon T., Boruah U., Handique A.K. and Barman T.S. (2011). Selection of waterlogging tolerant tea (*Camellia sinensis* L.) genotypes. *J. Plant. Crops* **39**(1): 203-209.
117. Deka, D., Zaman, S., Namdev, R., Phukan, M., Borthakur, A., Kalita, R., Devi, K., Modi, M. K. and Sen, P. (2016). Efficient protocol for isolation of high-quality RNA from tea without using liquid nitrogen for molecular analysis. *Indian Journal of Biotechnology*, **15** (1): 81-84.
118. Duarah I., Deka D.K., Borah D., Deka Boruah H.P., Baruah R., Lahon T., Baruah U. and Barman T.S. (2012). Characterization of soil enzyme activities and physicochemical characteristics of tea soil under waterlogging. *Intl. J. of Tea Science (IJTS)* **8** (3): 35-48.
119. Dutta P, Bhattacharyya, PN. Madhab, M. Tanti, AJ. Sarmah, SR. Pathak SK (2015) Determination of *Fusarium* decomposition in tea: An *in vitro* approach. *Tocklai News* **24**:2-3.
120. Dutta P. , Bhattacharyya P. N. , Sarmah S. R. , Madhab M., Sandilya S. P. , Gogoi D, Phukan Ivy, Begum R. , Tanti A. J., Pathak S. K. (2016) *In vitro* studies on the compatibility assessment of certain agrochemicals with microbial biopesticides used in tea [*Camellia sinensis* (L.) O. Kuntze] of Assam, Northeast India. *Two and a Bud* **63**(1):13-16.
121. Dutta P.K., Baruah D.K., Saikia D.N. and Bhagat R.M. (2009). Potential of pluckable shoots in vegetative propagation of tea (*Camellia sinensis* L.). *Two & a Bud* **56**(1&2): 52-54.
122. Dutta R, Smaling E, Bhagat RM, Tolekin VA, Stein A. 2011. Analysis of factors that determine tea productivity in North Eastern India: a combined statistical and modeling approach. *Experimental Agriculture* **48**: 64-84.
123. Dutta R, Stein A, Bhagat RM. 2011. Integrating satellite images and spectroscopy to measuring green and black tea quality. *Food Chemistry* ,**127**: 866-874.
124. Dutta R, Stein A, Smaling E, Bhagat RM, Hazarika M. 2010. Effect of plant age and environmental and management factors on tea yield in North East India. *Agronomy Journal* **102**: 1-12.
125. Fan F.Y., Xu Y., Liang Y.R., Zheng X.Q., Borthakur D. and Lu J.L. (2011). Isolation and characterization of high caffeine-tolerant bacterium strains from the soil of tea garden. *African Journal of Microbiology Research* **5**(16): 2278-2286. DOI: 10.5897/AJMR11.611.
126. G. Gurusubramanian, A. Rahman, M. Sarmah, Somnath Ray and S. Bora (2008): Pesticide usage pattern in tea ecosystem, their retrospect and alternative measures. *J. Environ. Biol.* **29**(6), 813-826
127. Ghosh A., Tamuly P., Bhattacharyya N., Tudu B., Gogoi N., Bandyopadhyay R., "Estimation of theaflavin content in black tea using electronic tongue", *Journal of Food Engineering*, 110 (2012) 71 – 79.
128. Ghosh A., Tudu B., Tamuly P., Bhattacharyya N., Bandyopadhyay R., "Prediction of Theaflavin and Thearubigin content in black tea using a voltammetric electronic tongue" *Journal of Chemometrics and Intelligent Laboratory Systems*, **116** (2012) 57 – 66.
129. Ghosh, S., Goswami, A.J., Phukan, Ivy, Bhagat, R.M., Pramanik, P. (2016). Evaluating ability of indigenous phytate-solubilizing microorganisms to hydrolyze iron phytate for releasing inorganic phosphate in synthetic medium. *Two and a Bud* **63**, 17-20.
130. Gogoi M, Borchetia S, and Bandyopadhyay T (2015) Computational Identification and Analysis of MADS box genes in *Camellia sinensis*. *Bioinformatics* **13**(3):115-12.

131. Gogoi M, Zaman A, Borchetia S and Bandyopadhyay T (2015). Phylogenetic relationship of *Camellia* genus based on ITS2 primary sequence and secondary structure. Ed. by Das K. Biotik, Maharathi Prakashan, pp. 36-50 (ISBN 978-93-83230-06-8)
132. Gogoi M, Zaman A, Das S, Singh HR, Bhagawati P, Chowdhury P, Saikia H, Yadav RNS, Borchetia S and Bandyopadhyay T (2014). In silico identification and functional annotation of SSR-ESTs related to drought and herbivory in *Camellia sinensis* var *assamica*. *Two and a Bud*, **60(2)**:43-50.
133. Gogoi, B., Choudhury, K., Sarmah, M., Rahman, A. and Borthakur, M.(2012) Studies on host range of *Helopeltis theivora* Waterhouse *Two and a Bud* 59 Special issue **1**: 31-34
134. Gogoi, M., Zaman, A., Borchetia, S. and Bandyopadhyay, T. 2016. Comparative genomics and expression profile of lipid biosynthesis pathway genes in *Camellia sinensis*. *Plant Omics: Journal of Plant Molecular Biology and Omics* **9(5)** 2016 DOI: 10.21475/POJ.09.05.16
135. Gohain B, Borchetia S, Bhorali P, Agarwal N, Bhuyan LP, Rahman A, Sakata K, Mizutani M, Shimizu B, Gurusubramaniam G, Ravindranath R, Kalita MC, Hazarika M, and Das S (2012). Understanding Darjeeling Tea Flavour on a Molecular Basis. *Plant Molecular Biology* **78** (6): 577-597
136. Gohain B, Borchetia S, Bandyopadhyay T, Bharalee R, Gupta S, Bhorali P, Agarwala N and Das S (2011). Identification and validation of stable reference genes in *Camellia* species. *Journal of Biotechnology and Pharmaceutical Research* **2(1)**: 009-018.
137. Gohain B., Bora T., Rahman A., Bhuyan L. P., Gurusubramaniam G., Ravindranath S.D., Shimizu B., Mizutani M., Sakata K., Das S. and Hazarika M. (2007). *Understanding biotic stress regulated gene expression in Darjeeling tea for development of a new type of black tea*. The 3rd International Conference on O-CHA (Tea) Culture and Science. **2 – 4** Nov, 2007, Shizuoka, Japan.
138. Gulati A., Rajkumar S., Karthigeyan S., Sud R.K., Vijayan D., Thomas B.J., Rajkumar R., Das S.C., Tamuly P., Hazarika M. and Ahuja P.S. (2009). Catechin and Catechin Fractions as Biochemical Markers to study the Diversity of Indian Tea (*Camellia sinensis* (L.) O. Kuntze) germplasm. *Chemistry and Biodiversity* **6**: 1042-1052. DOI: 10.1002/cbdv.200800122.
139. Gupta S, Bharalee R, Bhorali P, Bandyopadhyay T, Gohain B, Agarwal N, Ahmed P, Saikia H, Borchetia S, Kalita MC, Handique AK and Das S (2012). Identification of drought tolerant progenies in tea by gene expression analysis. *Functional and Integrative Genomics* **12(3)**: 543-563.
140. Gupta S, Bharalee R, Bhorali P, Das SK, Bhagawati P, Bandyopadhyay T, Gohain B, Agarwal N, Ahmed P, Borchetia S, Kalita MC, Handique AK and Das S (2013). Molecular Analysis of Drought Tolerance in Tea by cDNA-AFLP based Transcript Profiling. *Molecular Biotechnology* **53** (3): 237-248.
141. **Gupta, N.**, Gupta, P.P., Pramanik, P., Saikia, A., Sengupta, L., Bhagat, R.M., Bhattacharyya, N. (2014). *Integration of Geoinformatics and wireless sensors for smart agriculture in Tea*. Proc. SPIE 9229, Second International Conference on Remote Sensing and Geoinformation of the Environment (RSCy2014), 92290W (August 12, 2014); doi: 10.1117/12.2066366

142. Handique G, Barua A, Bora FR, Roy S (2015) Potential of *Nyctanthes arbor-tristis* L., *Phlogacanthus thyrsoformis* Nees and *Sapindus mukorossi* L. as novel acaricides of natural origin. *Research on Crops* 16(3): 590-597. DOI : 10.5958/2348-7542.2015.00083.2
143. Hatibaruah D., Baruah D.C. and Sanyal S. (2011). Modelling Desorption Isotherms and Thermodynamic Properties of Assam CTC Manufactured from Tea Cultivar T3E3. *Journal of Food Processing and Preservation* **35**: 729–738. DOI: 10.1111/j.1745-4549.2010.00508.x.
144. Hatibaruah D., Baruah D.C. and Sanyal S. (2012). Microwave Drying Characteristics of Assam CTC Tea (*Camellia Assamica*). *Journal of Food Processing and Preservation* (published online: 2 Mar 2012). doi:10.1111/j.1745-4549.2011.00656.x.
145. Hazarika D.J., Hazarika A.K., Saikia L.N., Gogoi R.C., Sanyal S. (2011). *A Reappraisal of the Boruah Continuous Roller*. Proc. World Tea Science Congress, TRA, Jorhat (In Press).
146. Hazarika S., Talukdar N.C., Borah K., Barman N., Medhi B.K., Thakuria D. K. and Barooah A.K. (2007). Long-term effects of pulp and paper mill effluent on chemical and biological properties of a heavy textured acidic soil in Assam. *J. Ind. Soc. Soil Sci.* **55**: 45-51
147. I.D. Singh (2015). Characterization of cultivated and wild teas in northeast India. Two and a Bud, **62**(2):10-13.
148. I.D. Singh, N.J. Neog, R.K. Dutta, B. Das, B. Gogoi, S.K. Singh and D. Santra. Clonal selection scheme – A Review in Two and a Bud, **62** (1) : 4-7, 2015
149. I.D. Singh, Naba Jyoti Neog, R. K. Dutta, B. Das, Boby Gogoi, S. K. Singh, D. Santra (2015). Clonal selection scheme – A review. Two and a Bud, **62**(1):4-7.
150. I.K. Phukan, A.K. Barooah, P.K. Bordoloi (2015). Soil organic matter fractions and their influence on soil nutrient availability and productivity of tea in the south bank (2015). Two Bud **62**(1): 38-41
151. I.K. Phukan, R. M. Bhagat, B. P. Saikia and B. K. Barthakur (2011). Soil properties under rehabilitation and non-rehabilitation conditions in tea soils of Assam Two Bud: **58**; 150-154
152. I.K. Phukan, Shamina Safique, Ashrafa Jahan, Jintu Dutta, Ivy Phukan. 2016. Effect of phosphate solubilizing microorganisms on soil available phosphate and growth of young tea. Two & A Bud, **63** (1): 4-7.
153. I.K.Phukan, A. Baruah, K.Z. Ahmed, and R. M. Bhagat (2009). Sulphur status of tea soil and its role in tea productivity. *Two & Bud* vol. **56**. 42-47
154. J . K. Saikia, U. Baruah, Boby Gogoi, P. K. Patel, R. K. Bordoloi, B. Das, T. S. Barman (2015). Selection of germplasm for breeding to develop drought tolerant tea cultivars. Two and a Bud, **62**(2):31-34.
155. Karak T, Bhagat P RM, Bhattacharyya. 2011. Municipal solid waste generation, composition and management: the world scenario. *Critical reviews in Environment Science and Technology* **42**: 1509-1630.
156. Karak T, Bhagat RM. 2010. Trace elements in tea leaves, made tea and tea infusion: a review. *Food Research International* **43**: 2234-2252.
157. Karak T., Kutu F. R., Nath J. R., Sonar I., Paul R. K., Boruah R. K., Sanyal S., Sabhapondit S., Dutta A. K.. 2015. Micronutrients (B, Co, Cu, Fe, Mn, Mo and Zn) content in made tea (*Camellia*

sinensis L.) and tea infusion with health prospect: A critical review. **Critical Review of Food Science and Nutrition** (Accepted for publication; DOI:10.1080/10408398.2015.1083534).

158. Kishor Chand Kumhar and A. Babu (2014). Exploitation of beneficial fungal biodiversity of tea ecosystem: A novel way to manage die- back disease and tea mosquito on tea in the Dooars in West Bengal. Poster presented in 21st International Symposium on plantation crops (Placrosym-XXI) held at the Gateway Hotel, Kozhikode, Kerala, 10-12th December, 2014
159. Kishor Chand Kumhar and A. Babu (2015). Effect of indigenous Trichoderma strain on tea crop. Two and a Bud, **62**(2): 3-6.
160. Kishor Chand Kumhar and A. Babu (2015). In vitro study on bio-efficacy, fungicide tolerance and shelf life of local isolate of Trichoderma viride. Two and a Bud, **62**(2): 17-20.
161. Kishor Chand Kumhar, A. Babu and M. Bordoloi (2015). Biodiversity of Fusarium solani in tea cropping system of Dooars, West Bengal, India (submitted to Indian Journal of Experimental Biology).
162. Kishor Chand Kumhar, A. Babu, M. Bordoloi, P. Banerjee and T. Dey. (2015). Biological and chemical control of Fusarium solani, causing dieback disease of tea Camellia sinensis (L): An in vitro study. International Journal of Current Microbiology and Applied Sciences. **4** (8): 955-963.
163. Kishor Chand Kumhar, A. Babu, M. Bordoloi, P. Banerjee, H. Rajbongshi (2016). Comparative bioefficacy of fungicides and Trichoderma spp. against Pestalotiopsis theae, causing grey blight in tea (Camellia sp.): An in vitro study. International Journal of Current Research in Biosciences and Plant Biology. **3**(4): 20-27. doi:<http://dx.doi.org/10.20546/ijcrbp.2016.304.004>.
164. Kishor Chand Kumhar, Azariah Babu and Ashif Ali. 2014. Potential of Trichoderma (KBN 24) against Fusarium solani. Tocklai News, Tea Research Association, Tocklai Experimental Station, Jorhat – 785 008. **22**: 4.
165. Kishor Chand Kumhar, Azariah Babu, Mitali Bordoloi and Ashif Ali (2015). In vitro study on bio-efficacy and shelf life of a local isolate of Trichoderma (KBN-24) against Fusarium solani infecting tea. Poster presented “National Seminar in tea, recent advances” hold at TRA Tocklai Tea Research Institute, Jorhat, Assam from 26 to 27 February, 2015.
166. Lei L., Xiaoping H., Borthakur D. and Hui N. (2012). Photosynthetic activity and antioxidative response of seagrass *T halassia hemprichii* to trace metal stress. *Acta Oceanol. Sin.* **31**(3): 98-108. DOI: 10.1007/s13131-012-0210-3.
167. M. Sarmah, S. Das, B. Deka and A. Babu (2016): Variation in the susceptibility of red spider mite populations of different sub districts of Dooars to selected acaricides. Tocklai News, **4**: 25, Jan-June.
168. M. Sarmah, T. Talukder, B. Deka and A. Babu (2016): Effect of acaricides on eggs and subsequent development of tea red spider mite, *Oligonychus coffeae* Neitner. International journal of current advanced research. **5** (1): 566-568.
169. Madhab M., Saikia L. R. and Barthakur B. K. (2011). Screening of phosphate solubilizing bacteria isolated from tea soil of Brahmaputra valley showing antagonism against *Fomes lamoensis* and *Ustilina zonata*. *Sci. & Cult.* **77**: 514- 517.

170. Madhab, M., Saikia, L. R. and Barthakur, B. K. (2009). Microbial diversity in the tea soils of Brahmaputra Valley. *Two & a Bud* **56**: 48-51.
171. Mechanical Harvesting in Dooars. S. Varghese, S.Sen, P. S. Pradhan, T. Mandal, B. Adhikary, S.K. Singh, D. Santra and A. Babu, Tocklai News, Tocklai Tea Research Institute, Tea Research Association, Jorhat 785008, Assam, **22**, July-December, 2014.
172. Minerva Saikia, Rupanjali D Baruah, R.M. Bhagat (2015). Relative humidity as a factor impacting tea yield: a case study *Two & a Bud* **62** (1): 17-20
173. P. Dutta. S.R. Sarmah,. R.Begum. and B.K.Barthakur, (2010): Red Rust: An emerging concern *Two Bud*, **54**, Nos. 1&2, 13-16, 2008 Published in 2010.
174. *P.K.Bordoloi*. (2012). Global tea production and export trend with special reference to India: *Two and a Bud*, **59** (2): 152-156.
175. P.N. Bhattacharyya, P. Dutta, Mausomi Madhab, I.K. Phukan, S.R. Sarmah, S.K. Pathak. 2016. Isolation of potash mobilizing microorganisms in tea soil and evaluation of their efficiency in potash nutrition in tea: a novel approach. *Two & A Bud* ,**63** no 1: 10-13.
176. Pathak S.K. (2012). A successful participatory IPM approach against *Hyposidra talaca* Wlk., a devastating pest on tea. Presented at 7th International IPM Symposium, Memphis Tennessee, USA. 17-29 March, 2012.
177. Pathak S.K. (2012). The menace of Looper Caterpillars in Tea and their management. *The Assam Reviews & Tea News* pp.10-18.
178. Phukan I., Madhab M., Bordoloi M., Sarmah S.R., Dutta P., Begum R., Tanti A., Bora S., Nair S.C., Rai S., Debnath S. and Barthakur B.K. (2012). Exploitation of PGP microbes of tea for improvement of plant growth and pest suppression: A novel approach. *Two & a Bud* **59** (Special issue no. 1): 69-74. (Presented in World Tea Science Congress held at Jorhat, 22-24th November, 2011).
179. Phukan I., Sarmah S.R., Begum R., Phukan R., Dutta P., Debnath S. and Barthakur B.K. (2007). *Prospects of actinomycetes as biocontrol agent in controlling diseases of tea in North East India*. Presented in the National Symposium on Microbial Diversity and Plant Health. Held at BCKV, Kalyani, Nov.29-30, 2007. Abstract pp.68.
180. Phukan I.K., Bhagat R.M., Saikia B.P. and Barthakur B.K. (2011). Soil properties under rehabilitation and non-rehabilitation conditions in tea soils of Assam. *Two & a Bud* **58** (Special issue no. 1): 141-49. (Presented in World Tea Science Congress held at Jorhat, 22-24th November, 2011.)
181. Phukan IK, Barooah A K and Bordoloi P K (2015). Soil organic matter fractions and their influence on soil nutrient availability and productivity of tea in the south bank. *Two and a Bud*, **62**(1):38-41.
182. Phukan Ishan, Bhagat, R.M. and Jahan, A. (2007). Conversion of biowaste into vermicompost. II. Comparative efficiency of cattle manure and vermicompost on soil properties and growth of young tea. *Two & Bud* ,**54** ,pp 42-45
183. Phukan Ishan, Bhagat, R.M. and Saffique, S. (2007). Conversion of biowaste into vermicompost. I. Suitability of earthworm. *Two & Bud*. **54**, pp. 34-41

184. Phukan Ishan, Jahan, A., Saffique, S, Baruah, A. and Bhagat, R.M. (2014). Clonal variations with respect to nutrient content in shoot and growth and yield of young tea and its influence on soil chemical properties. *Two Bud*, **61**(1 &2):60-63.
185. Phukan Ivy, Madhab M., Tanti A. J., Sarmah, S. R., Bhattacharyya P. N., Dutta P., Begum R. and Barthakur B. K. (2015) PGP microbial inoculants in improving tea [*Camellia sinensis* (L.) O. Kuntz] crop productivity and pest suppression. Presented in the National Seminar on Plant Protection in Tea. : recent advances, held at TTRI, Tocklai on 26th & 27th February, 2015.
186. Phukan R., Samanta R. and Barthakur B. K. (2011). Phosphatase activity of *Aspergillus niger* : A Native Tea Rhizosphere Isolate. *Sci & Cult*. **77**(9-10): 403- 405.
187. Phukan, I. K and Savapondit, D. (2011). Vermiwash- An effective organic nutrient amendment for foliar spray in tea cultivation. *Science and Culture*. **77**(9-10): 425-428.
188. Phukan, I., Baruah, A., Jahan, A., Saffique, S. And Borah D. 2017. Impact of Integrated nutrient management on soil properties and yield of tea in NE India. In ABSTRACTS of 'National Symposium on Agriculture and Food Production Today and Tomorrow' held at Institute of Agricultural Science, Kolkata on February, 22-24, 2017, p 23.
189. Phukan, I.K, R. M. Bhagat ,Jintu Dutta (2015) Response of Tea to micronutrients Application on its Yield and Quality: a Review. *International J. of Tea Science*. Vol 11, No 3 & 4: 39-47
190. Phukan, I.K, Arup Baruah, R.M. Bhagat (2015). Impact of nutrient management on soil properties and yield of organically grown young tea. (2015) *Two Bud* **62**(1): 21-24
191. Phukan, I.K., A. Boruah, and R.M. Bhagat (2008). Influence of combine use of organic, inorganic and bio fertilizer sources on chemical, physical and biological properties of tea soil *Two & Bud* ,**55** :28-35
192. Phukan, I.K., Saffique, S., Jahan, A., Bhagat, R.M. and Baruah, A. (2014). Effect of organic manure on humic fractions and microbial biomass carbon in alluvial tea soils of North Eastern India. Oral paper presented in National Seminar on Development in soil Science: Indian Society of soil science 79th Annual Convention held at Hyderabad: Nov 24-27
193. Phukan, Ishan (2014). Nutrient management in organically managed mature tea and its effect on soil quality and productivity of tea. Paper presented in International symposium on plantation crops. PLACROSYM held at Kozhikode 10-12 Dec.
194. Phukan, Ishan and Baruah, A. (2015). Studies on physical, chemical and microbiological properties under compacted and non-compacted tea soil of south bank. *International Journal of Science, Environment and technology*, **4**(1):253-263.
195. Phukan, Ishan and Ramakrishna, Y.S. (2014). Prospects of Biochar use as soil amendment in Tea. *Two Bud*, **61**(1&2):, 40-47
196. Phukan, Ishan and Ramakrishna, Y.S. (2015). Fertilizer and its Management for Increased Use Efficiency". Published in the SOUVENIR, National Conference on "Indigenous Innovation And Foreign Technology Transfer In Fertilizer Industry: Needs, Constraints And Desired Simplification" held on 17th January at Barrackpore, Kolkota, West Bengal.
197. Phukan, Ishan, Khanikar, L., Ahmed, C.S., Saffique, S., Jahan, A., Baruah, A. and Phukan, Ivy (2013). A novel method for improving the quality of vermicompost. *Two Bud*, **60**(2):24-9.

198. Phukan, Ishan, Saffique, S., Borah, P., Baruah, A. and Jahan, A. (2014). A study on boron content in Tea soil. *International Journal of Innovative research and Development*, **3**(7):33-37.
199. Pramanik P., Madhab M., Phukan I., Safique S., Barthakur B. K. and Bhagat R. M. (2014) Presence of phytate solubilizing microorganisms in tea soils of North-East India and their efficiency to solubilize bound P in soil. *Two and a Bud*, **61**:57-59.
200. Pramanik, P., Ahmed, C.S. (2016) Comparative effects of composting and vermicomposting on quality of organic amendments prepared from MSW and nitrogen rich guatemala plant residues. Accepted in *International Journal of Environment and Waste management*.
201. Pramanik, P., Madhab, M., Safique, S., Phukan, Ivy, Borthakur, B.K., Bhagat, R.M. (2014). Presence of phytate-solubilizing microorganisms in tea soils of northeast India and their efficiency to solubilize bound P in soil. *Two and a Bud* **61**, 57-59.
202. Pramanik, P., Safique, S., Jahan, A., Bhagat, R.M. (2016). Effect of vermicomposting on treated hard stem leftover wastes from pruning of tea plantation: A novel approach. *Ecological Engineering* **97**, 410-415.
203. Pramanik, P., Safique, S., Jahan, A., Bhagat, R.M. (2017). Humic substrates application in diluted form enhanced availability of phosphorus (P) and its uptake by tea bushes in the tea-growing soil of Northeast India. Accepted in *Journal of Plant Nutrition*.
204. Pritom Chowdhury, Madhurjya Gogoi, Sangeeta Borchetia, Tanoy Bandyopadhyay. 2017. Nanotechnology applications and intellectual property rights in agriculture. *Environ. Chem. Lett.* DOI 10.1007/s10311-017-0632-4
205. R.M. Bhagat, Rupanjali D. Baruah and S.Roy (2013). Analysing the impact of climate change on tea production in Assam: Uncertainties in estimation. Proc. National Seminar on "Climate Change and Climate Resilient Agriculture" during 18-19 March, 2013 held at BN College of Agriculture, Assam Agricultural University, Biswanath Chariali, Sonitpur, Assam.61-62
206. R.M.Bhagat, R.D Baruah, M. Saikia and M.Hazarika (2011). Long term climate trends in tea growing areas of North East India *Two Bud*. **56**; 21-31
207. Rahman A, Handique G, Roy S (2017) Comparative biology, predation capacity and effect of an artificial diet on reproductive parameters of green lacewing, *Mallada boninensis* Okamoto (Neuroptera: Chrysopidae). *Agricultural and Forest Entomology*. doi: 10.1111/afe.12221
208. Rahman A, Pujari D, Barua A, Bora FA, Handique G, Roy S (2014) Biology and feeding preference of *Scirtothrips dorsalis* Hood (Thysanoptera: Thripidae) infesting tea in northeast India. *Two and a Bud*, **62**: 1-3.
209. Rahman A, Roy S, Phukan AK, Muraleedharan N(2014) Effects of potassium chloride and potassium sulphate on the efficacy of insecticides against infestation by *Helopeltis theivora* (Heteroptera: Miridae) in tea plantations. *International Journal of Tropical Insect Science* **34**(3): 217-221 DOI:10.1017/S174275841400037X
210. Rahman, A ; Sarmah, M.; Phukan, A.K. and Gurusubramanian, G. (2007): Varietal preference and chemical control strategies for management of *Helopeltis theivora* waterhouse *Uttar Pradesh Journal of Zoology*, **27**: 1-11
211. Rahman, A., Sarmah, M. (2007) Present scenario of scale insect and looper caterpillar infestations in tea. *Two and a Bud* **54**:3-7 Publ. March 2010

212. Rahman, A.; Sarmah, M.; and Gurusubramanian, G.(2007) Bioefficacy of neem formulations combined with reduced dosages of acaricides and insecticides against *Oligonychus coffeae* Nietner and *Scirtothrips dorsalis*. Hood. in tea *Journal of plantation crops* **35**(1) ; 59-63
213. Rahman, A.; Sarmah, M.; Phukan, A.K. and Gurusubramanian, G. (2007) Agroforestry systems effect on the ecology and management of insect pest and natural enemies populations in tea plantations. *Research on crops*. **8** (2) 446-454.
214. Rahman, A.; Sarmah, M.; and Gurusubramanian, G.(2007) Bioactivity of different formulations of propargite 57% EC against red spider mite *Oligonychus coffeae* *Research on crops* **8** (2) 474-480
215. Rana RS, Bhagat RM, Kalia V. 2011. Impact of climate change on apple crop in Himachal Pradesh. *Journal of Agrometeorology* **13**: 91-99.
216. Rana, R.S., Bhagat, R.M. Singh, M.M., Kalia, V. Singh, S. and Prasad, R. 2012. Trends in climate variability over Himachal Pradesh. *Journal of Agrometeorology* **14**: 104-109.
217. Release of clones: TTRI 1 and TTRI 2: Contributor: Two and a Bud: **61** : 4-5.
218. Rishiraj Dutta and R. M. Bhagat, (2010). Application of remote sensing for delineation of waterlogged tea areas and effects of plant age on tea yield. Two and a Bud, **57**; 52-58
219. Roy S, Muraleedharan N, Handique G, Rahman A, Baruah A (2016) Aqueous extracts of *Duranta repens* (Verbenaceae) as an alternative to control tea red spider mite, *Oligonychus coffeae* (Acari: Tetranychidae). *International Journal of Tropical Insect Science* **36**(2): 82-90. DOI:10.1017/S1742758416000047
220. Roy S, Gurusubramanian G (2013) Comparison of life cycle traits of *Helopeltis theivora* Waterhouse (Heteroptera: Miridae) population infesting organic and conventional tea plantations, with emphasis on deltamethrin resistance. *Archives of Biological Sciences, Belgrade* **65**(1):57-64. DOI:10.2298/ABS1301057R
221. Roy S, Handique G, Barua A, Bora FR, Rahman A, Muraleedharan N (2016) Comparative performances of jatropha oil and garlic oil with synthetic acaricides against red spider mite infesting tea. *Proceedings of the National Academy of Sciences, India Section B: Biological Sciences* DOI:10.1007/s40011-016-0734-y
222. Roy S, Handique G, Muraleedharan N, Dashora K, Roy SM, Mukhopadhyay A, Babu A (2016) Use of plant extracts for tea pest management in India. *Applied Microbiology and Biotechnology* **100**(11):4831-44. DOI: 10.1007/s00253-016-7522-8.
223. Roy S, Muraleedharan N (2014) Microbial management of arthropod pests of tea: current state and prospects. *Applied Microbiology and Biotechnology* **98**(12): 5375-5386. DOI: 10.1007/s00253-014-5749-9
224. Roy S, Muraleedharan N, Mukhopadhyay A (2014) The red spider mite, *Oligonychus coffeae* (Acari: Tetranychidae): its status, biology, ecology and management in tea plantations. *Experimental & Applied Acarology* **63**(4): 431-463. DOI: 10.1007/s10493-014-9800-4
225. Roy S, Muraleedharan N, Mukhopadhyay A, Handique G (2015) The tea mosquito bug, *Helopeltis theivora* Waterhouse (Heteroptera: Miridae): its status, biology, ecology and management in tea plantations. *International Journal of Pest Management* **61**(3):179-197. DOI: 10.1080/09670874.2015.1030002

226. Roy S, Muraleedharan N, Pujari D (2013) A catalogue of arthropod pests and their natural enemies in the tea ecosystem of India. *Two and a Bud* ,**61** (1&2): 11-39.
227. Roy S, Prasad AK, Handique G, Barua A, Roy S (2016) First report on heat shock protein expression in red spider mites (*Oligonychus coffeae*) in response to pesticide exposure. *Invertebrate Survival Journal* **13**:350-354.
228. Roy S, Rahman A (2014) A study on the comparative predatory efficiency and development of *Micraspis discolor* (F) and *Menochilus sexmaculatus* (F) on tea aphid *Toxoptera aurantii* (Boyer de Fons.). *Zoology and Ecology* **24**(3): 285-287. DOI: 10.1080/21658005.2014.933632
229. Roy S, Rahman A, Barua A, Bora FR, Handique G, Pujari D (2015) Evaluation of Petroleum Based Horticulture Oil for the Management of the Tea Red Spider Mite, *Oligonychus coffeae* Neitner (Acarina: Tetranychidae). *Acta Phytopathologica et Entomologica Hungarica* **50**(1): 127-138. DOI: <http://dx.doi.org/10.1556/038.50.2015.1.12>
230. Roy S, Rahman A, Handique G, Pujari D, Barua A, Rahman FR, Muraleedharan N (2015) Toxicological and physiological activities of some tropical plant extracts against *Hyposidra talaca* (Walker) (Lepidoptera: Geometridae): an emerging major pest of tea. *Zoology and Ecology* **25**(2): 172-178. DOI: 10.1080/21658005.2015.1020013
231. Roy S, Rahman A, Muraleedharan N (2013) in Escaping the chemical pesticide trap: Non chemical management of tea pests in north east India *Two and a Bud* **60** (2):1-4.
232. Roy S, Rahman A, Phukan AK, Muraleedharan N (2014) *Terminalia chebula* Retz. (Combretaceae): source of a botanical acaricide against *Oligonychus coffeae* Nietner (Acarina: Tetranychidae). *International Journal of Acarology* **40**(2):138-144. DOI: 10.1080/01647954.2014.888095
233. Roy S, Rahman A. (2013) Distribution pattern of eelworm incidence in nursery tea soils of South Bank region of Assam. *Two and a Bud* **60** (1): 41-45.
234. Rupanjali D. Baruah, R.M. Bhagat, M. Saikia, A. Saikia., L.B. Pathak, Lahari Sengupta, N. Gupta and N. Bhattacharyya(2013). Using wireless sensor network for monitoring growing environment of tea in NE India. *Journal of Environmental Research and development*, **8**(2), October-December, 2013
235. Rupanjali Deb Baruah, R.M. Bhagat, Sudipta Roy and Laxmi Narayan Sethi. 2016. Use of Data Mining Technique for Prediction of Tea Yield in the Face of Climate Change of Assam, India, 2016 International Conference on Information Technology , 978-1-5090-3584-7/16 \$31.00 © 2016 IEEE, DOI 10.1109/ICIT.2016.44.
236. S. Debnath, A. C. Bora, G. Bhattacharyee, A. Dasgupta, Boby Gogoi, S. K. Pathak (2015). Some aspects of pruning litter decomposition under conventional tea cultivation in Dooars. *Two and a Bud*, **62**(1):33-37.
237. S.C. Bordoloi, R.K. Bordoloi, B. Das, R.C. Gogoi, D. Borthakur and T.S. Barman (2014). The two new clones: TTRI 1 and TTRI 2. *Tocklai News*, Vol. **22**.

238. S.Das, R.M.Bhagat, P.K.Borua, T.S.Barman and U.Baruah (2011). Effects of organic amendments on some soil and biochemical parameters under conversion and newly planted organic tea. *Two Bud*: **58**; 65-69
239. S.K. Pathak, I.D. Singh, B. Das, B. Gogoi, D. Borthakur, N.J. Neog and S. Singh (2014) Conservation of old seed jats by poly parents (polyclonal) seed bars to maintain quality of tea. *Tocklai News*, **22**.
240. S.Sabhapondit, P.Bhattacharyya, L.P.Bhuyan, M. Hazarika and B.C. Goswami.(2014). Optimisation of withered leaf moisture during the manufacture of black tea based upon theaflavins fractions. *Int. J. Food Sci. Tech.*, **49**, 205 - 209.
241. S.Safique, K.Z.Ahmed, **A. Jahan**, M.Goswami and I.K.Phukan (2013): Studies on the integrated nutrient management on soil fertility and yield of tea , *Two & Bud* **61** ,36-40
242. Sabhapondit S., Bhuyan L. P., Goswami B. C. and Hazarika M. (2011). Seasonal and cultivar variation of catechin in north east Indian tea. *Sci. & Culture*, **77**(9-10), 406-411.
243. Sabhapondit S., Karak T., Bhuyan L. P., Goswami B. C. and Hazarika M. (2012). Diversity of catechin in northeast Indian tea cultivars. *The Scientific World Journal*. Published DOI: 10.1100/1012/485193.
244. Sabitri Baruah, Ashok K. Bordoloi, Romen C. Gogoi, Sukumar Debnath, Prassanna K. Bordoloi, Pradip Tamuly, "Biochemical Aspects of Some Diversified Products of Tea", *5th International Conference on O-CHA (Tea) Culture and Science*, ICOS 2013 on 6th to 8th November, 2013, at Shizuoka, Japan.
245. Safique, S., Jahan, A., Pramanik, P., Bhagat, R.M. (2015). Application of shredded prunings improves chemical and biochemical properties of soil. *Two and a Bud*, **62**, 25-28.
246. Safique,S, Ahmed,K.Z, Jahan,A, Goswami,M, Phukan,I.K (2011):Studies on the integrated nutrient management on soil fertility and yield of tea. *Two and a Bud*, **60** (1): 36-40
247. Saikia D.N. and Das R. (2009). *Chemical weed control in tea of N.E. India*. NaTIONAL Workshop on Plant Protection of Tea, UPASI, Valparai, TN, Nov 2009. pp 214-420.
248. Saikia D.N. and Sarma J. (2009). Effect of application of sulphate of potash and murate of potash along with sulphur on yield and quality of tea (*Camellia sinensis* L.). *Two & a Bud* **55**(1&2): 41-45.
249. Saikia D.N. and Sarma J. (2011). Effect of continuous and intermittent shear plucking on yield and quality of plucked shoots in tea. *Two & a Bud* **58**(1, WTSC): 98-102.
250. Saikia D.N. and Sarma S.N. (2007). Effect of application of fungal strains for early decomposition of pruning litters and there by effects of pruning litter on some soil chemical properties. *Two & a Bud* **54**(1&2): 24-28.
251. Saikia D.N., Das R. and Dutta R.C. (2012). Reduction of herbicide load on tea soil by using effective cocktails and increasing weed efficiency by using surfactant. *Two & a Bud* **59**(1, WTSC): 109-111.
252. Saikia D.N., Dutta P.K. and Barua D.K. (2011). Prospect of pluckable shoots in developing young plants. *Two & a Bud* **58**(1, WTSC): 120-122.
253. Saikia D.N., Sarma J. and Das R. (2011). Effect of mechanical pruning on bush frame and yield of tea (*Camellia sinensis* L.). *Two & a Bud* **58**(1, WTSC): 123-126.

254. Saikia D.N., Sarma J., Dutta P.K. and Barua D.K. (2011). Sustainable productivity of tea through conservation of bio-mass, addition of bio-fertilizers and reduction of inorganic fertilizer. *Two & a Bud* **58**(1, WTSC): 109-117.
255. Saikia J.K. and Barman T.S. (2007). Zinc deficiency symptoms in tea. *Two and a Bud* **54**: 46-47.
256. Saikia J.K., Baruah U., Barman T.S., Saikia H. and Bandyopadhyay T. (2011). Impact of tea mosquito infestation on endogenous hormones of tea (*Camellia sinensis* L.). *Sci. & Cult.* **77**(9-10): 412-415.
257. Saikia J.K., Rai S., Barua R.K., Pathak S.K. and Barman T.S. (2007). Physiology of pruning in Darjeeling Tea (*Camellia sinensis* L.). *Two and a Bud* **54**: 29-34
258. Saikia JK, Baruah U, Saikia H, Barman TS and Bandyopadhyay T (2011). Impact of Tea Mosquito Infestation on Endogenous Hormones of Tea (*Camellia sinensis* L.). *Science and Culture* **77** (9-10): 412-415.
259. Saikia, M, Rupanjali D. Baruah and R.M. Bhagat (2015). Relative humidity as a factor impacting tea yield: a case study. *Two and a Bud*, **62**(1) : 17-20
260. Sanyal S., Bhuyan L. P., Hazarika D.J., Gogoi R. C. Hazarika A. K., Baruah B. D., Das C., Bora S. N. and Saikia L. N. (2012). Impregnation of oxygen during fermentation of CTC tea. *Two & a Bud*, **59**(2), 67-73.
261. Sanyal S., Bora S. N., Hazarika D.J., Gogoi R. C., Baruah B. D., Sarmah B. J., Tamuly P., Hazarika A. K. and Saikia L. N. (2012). A study on micronizer as a tea processing machine. *Two & a Bud*, **59**(2), 78-83.
262. Sanyal S., Bora S.N., Hazarika D.J., Gogoi R.C., Barua B.D., Sarma B.J., Tamuli P., Hazarika A.K., Saikia L.N. (2011). *A Study on Micronizer as a Tea Processing Machine*. Proc. World Tea Science Congress, TRA, Jorhat (In Press).
263. Sarma S.N., Das R. and Saikia D.N. (2007). Effect of some herbicides on control of weed in tea (*Camellia sinensis* L.). *Two & a Bud* **54**(1&2): 19-23.
264. Sarmah M. and Bandyopadhyay T. (2009). Colour Variation and Genetic Diversity in Tea Mosquito Bug [*Helopeltis theivora* (Hemiptera: Miridae)] population from Badlabeta Tea Estate, Upper Assam. *Indian J. Entomol.* **6**(3): 155-160. DOI: 10.3923/je.2009.155.160.
265. Sarmah M., Phukan A.K., Rahman A. and Barthakur B.K. (2010). Field efficacy of thiomethoxam 25 WG and botanical pesticides against tea mosquito bug, *Helopeltis theivora* Waterhouse. *Ind. J. Entomol.* **72**: 94-95.
266. Sarmah M., Sarmah S.R., Dutta P., Begum R., Debnath S., Rahman A., Phukan A.K., Gogoi B., Madhab M., Bordoloi M., Chutia M., Borthakur M. and Barthakur B.K. (2012). Alternative strategy for management of tea pests and diseases. *Two & a Bud*, **59** (Special issue no. 1): 84-90. (Presented in World Tea Science Congress held at Jorhat, 22-24th November, 2011).
267. Sarmah M., Talukdar, T., Deka, B. and Babu, A. (2016) Effect of acaricides on eggs and subsequent development of tea red spider mite, *Oligonychus coffeae* Nietner *International Journal of Current Advanced Research.* **5**(1): 566-568
268. Sarmah Mridul (2016). Bioefficacy of Neem Kernel Aqueous extract (NKAe) against tea red spider mite, *Oligonychus coffeae*, Nietner and its effect on *Stethorus gilvifrons*, Mulsant, a potential predator of red spider mite. *Journal of Biopesticides*, **9** (2): 204-210.

269. Sarmah S.R., Baruah P.K. and Das S.C. (2012). Pathogenicity study of *Fusarium solani* isolated from Fusarium die back of tea [*Camellia sinensis* (L.) O. Kuntze] on its host plant. *Two & a Bud* **59** (Special issue no. 1): 91-94.
270. Sarmah S.R., Baruah P.K. and Das. S.C. (2010). Effect of different fungicides on die back disease of tea plant. *Jour. Advanced Pl. Sciences* **5**(1&2): 92-96.
271. Sarmah S.R., Baruah P.K., and Das S.C., (2017) Practical utilization of botanical extracts and microbial in controlling dieback disease of tea [*Camellia sinensis* (L) O. Kuntze] caused by *Fusarium solani* (Mart.) Sacc., *Journal of Tea Science Research*, **7**(2): 11-19 (doi: 10.5376/jtsr.2017.07.0002)
272. Sarmah S.R., Dutta P, Bhattacharyya P.N., Payeng B. and Tanti A.J. (2016) Growth habit of Tea pathogens(*Cephaleuros* spp. and *Fusarium solani*) and evaluation of relative susceptibility of selected Tea cultivars. *International Research Journal of Biological Sciences*. **5**(7):1-9.
273. Sarmah, M and Bhola, R.K. (2008) Antifeedant and repellent effect of aqueous plant extracts of *Azadirachta indica* and *Xanthium strumarium* on tea mosquito bug, *Helopeltis theivora* Waterhouse *Two and a Bud* **55**:36-40 Publ. Dec. 2010
274. Sarmah, M. and Bhola, R. K. (2014) Bio-activity of *Xanthium strumarium* extracts against tea mosquito bug, *Helopeltis theivora* *Journal of Plantation Crops*, **42**(1): 40-47
275. Sarmah, M. and Bandyopadhyay, T. (2009): Colour variation and genetic diversity in Tea Mosquito Bug [*Helopeltis theivora* (Hemiptera: Miridae)] population from Badlabeta Tea Estate, Upper Assam. *Journal of Entomology*. **6**(3): 155-160
276. Sarmah, M. and Bandyopadhyay, T. 2009. Colour variation and genetic diversity in Tea Mosquito Bug [*Helopeltis theivora* (Hemiptera: Miridae)] population from Badlabeta Tea Estate, Upper Assam, India. *Journal of Entomology* **6**(3): 155 – 160.
277. Sarmah, M. and Bhola, R. K. (2015) Bio-efficacy of *Acorus calamus* extracts against tea mosquito bug, *Helopeltis theivora* waterhouse. *International Journal of Recent Scientific Research* **6**(11): 7638-7641
278. Sarmah, M. and Bhola, R.K.(2011)Effect of aqueous plant extracts on growth and development of tea mosquito bug, *Helopeltis theivora* Waterhouse *Indian Journal of Entomology* **73**(3):258-262
279. Sarmah, M., Sarmah, S.R., Dutta, P., Begum, R., Debnath, S., Rahman, A., Phukan, A.K., Gogoi, B., Madhab, M., Bordoloi, M., Chutia, B. C., Borthakur, M. and Barthakur, B.K. (2012) Alternative strategy for management of tea pests and diseases *Two and a Bud* **59** (1): 84-90
280. Sarmah, M.; Basit, Abdul; Bhattacharyya, Badal; Rahman, A. and Gurusubramanian, G.(2007). Ovicidal, acaricidal and growth inhibitory activity of *Xanthium strumarium* L., *Acorus calamus* L., and *Pongamia pinnata* L. (Pierre) against a major pest of tea, *Oligonychus coffeae* Nietner. *International Journal of Tea Science*, **6**(3): 1-14.
281. Sarmah, M.; Phukan, A.K.; Rahman, A. and Barthakur, B.K.(2010) Field bioefficacy of Thiomethoxam 25WG and botanical pesticides against tea mosquito bug, *Helopeltis theivora* Waterhouse *Indian Journal of Entomology* **72**(1):94-95
282. Sarmah, M.; Phukan, A.K.; Rahman, A. and Borthakur, M(2011) Yield loss-infestation relationship and determination of economic injury level of tea mosquito bug Waterhouse *Two and a Bud* **58** (1):62-64

283. Sarmah, M.; Rahman, A.; Phukan, A.K. and Gurusubramanian, G. (2009): Effect of aqueous plant extracts on tea red spider mite, *Oligonychus coffeae*, Nietner (Tetranychidae: Acarina) and *Stethorus gilvifrons* Mulsant. *African Journal of Biotechnology* **8**(3), pp. 417-423
284. Sen A.B., Gogoi A.K., Biswas P., Tamuly P., Pathak S.K., "Biochemical Constituents of Precursors in Tea Shoots in different Region of North Bengal", *International Journal of Tea Science* **9** (1) 2013 p 3-9.
285. Shamina Safique, Ashrafa Jahan, Prabhat Pramanik, R.M. Bhagat (2015) Application of shredded prunings improve chemical and biochemical properties of soils Two & a Bud **62** no1:25-28
286. Sharma P., Ghosh A., Tudu B., Bhuyan L.P., Tamuly P., Bhattacharyya N., Bandyopadhyay R., Chatterjee A., 2014 "Detection of linalool in black tea using a quartz crystal microbalance sensor", *Sensors and Actuators B*, **190**, 318–325.
287. Sharma P., Ghosh A., Tudu B., Bhuyan L.P., Tamuly P., Bhattacharyya N., Bandyopadhyay, Das U., "A quartz crystal microbalance sensor for detection of geraniol in black tea", *IEEE Sensor Journal* , **15**, no. 2, pp.1178 – 1185, 2015 .
288. Sharma P., Ghosh A., Tudu B., Sabhapondit S., Baruah B. D. , Tamuly P., N. Bhattacharyya and R. Bandyopadhyay, "Detection of optimum fermentation time of black CTC tea using a voltametric electronic tongue", *IEEE Transactions on Instrumentation & Measurement*, DOI: 10.1109/TIM.2015.2415113.
289. Sharma P., Ghosh A., Tudu B., Sabhapondit S., Baruah B. D., Tamuly P., Bhattacharyya N., Bandyopadhyay R. (2015) "Monitoring the fermentation process of black tea using QCM sensor based Electronic Nose", in *Sensors and Actuators B* **219** 146-157 .
290. Sharma RK, Negi MS, Sharma S, Bhardwaj P, Kumar R, Bhattacharya E, Tripathi SB, Vijayan D, Baruah AR, Das SC, Bera B, Rajkumar R, Thomas J, Sud RK, Muraleedharan N, Hazarika M, Lakshmikumaran M, Raina SN and Ahuja PS (2010). AFLP-based genetic diversity assessment of commercially important tea germplasm in India. *Biochemical Genetics* **48**:549–564.
291. Singh HR, Bhagawati P, Hazarika P, Das S, Borchetia S and Bandyopadhyay T (2015). Advanced Molecular Markers: Role in Plant Genetic Diversity and Its Importance in Tea. Ed. by Das K. Biotik, Maharathi Prakashan, pp. 187-202 (ISBN 978-93-83230-06-8)
292. Singh, A. K., Bisen, J. S., Chauhan, R. K., Choubey, Mrityunjay., Kumar, R. & Kumar, N. (2016). Tea Research for Darjeeling Tea Industry - Various Aspects. In: *Tea Technological Initiatives*, pp. 195-239. (Ed.) Bag N., Bag, A. & Palni L.M.S., New India Publishing Agency, New Delhi.
293. T. S. Barman and B. Das (2014) Registration of Tea Germplasm. Tocklai News, **22**
294. T. S. Barman, A. K. Sarma, I. K. Phukan, B. Das, R. K. Bardoloi, D. K. Baruah and J. K. Saikia (2014) NPK content of harvested tea seeds and amendment of seed bari manuring. Two and A Bud: **61**, No. 1& 2, pp 72-75.
295. T.Karak, Chimpi Sarmah, I.Haque, R.M.Bhagat and K.Z.Ahmed (2011). Assessment of co-compost quality produced from easily available Biowaste by physic-chemical and exploratory data analysis. Two Bud: **58**; 160-169

296. T.S. barman, A.K. Sharma, I.K. Phukan, B. Das and J.K. Saikia (2014). A new thought on seed bari manuring. *Tocklai News*, **21**.
297. Tanti A, Bhattacharyya PN, Dutta P, Sarmah SR, Madhab M, Saikia D, Kachari A, Berceoyjyrwa R (2016) Diversity of phylloplane microflora in certain tea cultivars of Assam, North-East India. *European Journal of Biological Research* 2016; **6** (4): 287-292. doi: <http://dx.doi.org/10.5281/zenodo.166266>.
298. Tanti A. Madhab M., Bordoloi M., Phukan I., Sarmah S.R., Debnath S. and Barthakur B.K. (2011). Seasonal occurrence of leaf surface microflora of tea, *Camellia sinensis* (L.) O. Kuntze. *Two & a Bud*, **59** (Special issue no. 1): 103-106.
299. Thakur D. (2008). Potential for use of tea catechin as an antimicrobial agent. *Two and A Bud* **55**(1&2): 17-21.
300. Thakur D. and Das S.C. (2008). Breeding of TV clones having antimicrobial activities. *Two and a Bud* **52**: 16-21.
301. Thakur D., Bora T.C., Bordoloi G.N. and Mazumdar S. (2009). Influence of nutrition and culturing conditions for optimum growth and antimicrobial metabolite production by *Streptomyces* sp. 201. *J. Medical Mycol.* **19**: 161-167. DOI: 10.1016/j.mycmed.2009.04.001.
302. Thakur D., Das S. C., Sabhapondit S., Tamuly P., Deka D. K. (2011). Antimicrobial Activities of Tocklai Vegetative Tea Clones *Indian J Microbiol. Springer*, DOI 10.1007/s12088-011-0190-6.
303. Tomanr D. S., Bhuyan L.P., Sabhapondit S., Sarmah S.R., Borthakur B. K. and Jha D. K. (2012). Impact of inoculated arbuscular mycorrhizal (AM) fungi on metabolism of flavanols (catechins) and caffeine in tea shoots [*Camellia sinensis* (L) O.Kuntze]. *Two & a Bud*, **59**(2), 106-111.
304. Tomanr D. S., Bhuyan L.P., Sabhapondit S., Sarmah S.R., Borthakur B. K. and Jha D. K. (2012). Impact of inoculated arbuscular mycorrhizal (AM) fungi on metabolism of flavanols (catechins) and caffeine in tea shoots [*Camellia sinensis* (L) O.Kuntze]. *Two & a Bud*, **59**(2), 106-111.
305. Zaman, A., Gogoi, M., Borchetia, S., Kalita, M.C., Yadav, R.N.S. and Bandyopadhyay, T. 2016. Comparative assessment of different protocols for isolation of total RNA from various organs of the tea plant (*Camellia sinensis*). *Research Journal of Life Sciences, Bioinformatics, Pharmaceutical and Chemical Sciences* **2** (3): 95 - 107.